



WEIGHT (LBS)	INDUCTANCE	LOSS (WATTS)
204	.065mH	780

ECO No	DESCRIPTION	REV BY	DATE
M10736	UPDATED GRAPHICS ON COIL-2400224	CR	08/01/18

THE COMPONENT, PART OR ASSEMBLY DESCRIBED IN THIS DOCUMENT MUST COMPLY WITH THE EU (EUROPEAN UNION) DIRECTIVE RoHS2		MATERIAL		CONFIDENTIAL AND PROPRIETARY INFORMATION THIS DOCUMENT CONTAINS CONFIDENTIAL AND PROPRIETARY INFORMATION OF MTE CORPORATION AND MAY NOT BE USED, COPIED OR DISCLOSED TO OTHERS EXCEPT WITH THE AUTHORIZED WRITTEN PERMISSION OF MTE CORPORATION	
CONTAINS <0.1% OF ANY SVHC BY WEIGHT PER REACH REGULATION				DESCRIPTION	
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES [MM] TOLERANCES ARE: ANGLES: ± 1 ° 1 PLACE .X: ± .1 [2.5] 2 PLACE .XX: ± .03 [0.76] 3 PLACE .XXX: ± .010 [0.254]		<b>MTE</b> POWER QUALITY. SOLVED. N83 W13330 Leon Road Menomonee Falls, WI 53051 USA 800.455.4683 262.253.8200		LINE REACTOR (600A, .065mH)	
		DRAWN RKT	DATE 05/28/09	SIZE D	DWG No. CD RLW-060005
		CHECKED CR	DATE 08/01/18	REV 03	
		APPROVED AK	DATE 09/19/18	SCALE 1:2	SHEET 1 OF 1