





8	7	
WEIGHT (LBS)	INDUCTANCE	LOSS (WATTS)
67	0.45 mH	108

ECO No	DESCRIPTION	REV BY	DATE
M9023	UPDATED WITH NEW COIL	KV	02/28/14



THE COMPONENT, PART OR ASSEMBLY DESCRIBED IN THIS DOCUMENT MUST COMPLY WITH THE EU(EUROPEAN UNION) DIRECTIVE RoHS		MATERIAL		CONFIDENTIAL AND PROPRIETARY INFORMATION	
CONTAINS <0.1% OF ANY SVHC BY WEIGHT PER REACH REGULATION				THIS DOCUMENT CONTAINS CONFIDENTIAL AND PROPRIETARY INFORMATION OF MTE CORPORATION AND MAY NOT BE USED, COPIED OR DISCLOSED TO OTHERS EXCEPT WITH THE AUTHORIZED WRITTEN PERMISSION OF MTE CORPORATION	
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES [MM] TOLERANCES ARE:				DESCRIPTION	
ANGLES: ± 1 °				LINE/LOAD REACTOR	
1 PLACE .X: ± .1 [2.5]		DRAWN	DATE		
2 PLACE .XX: ± .03 [0.76]		JJB	9/29/97		
3 PLACE .XXX: ± .010 [0.254]		CHECKED	DATE		
		RH	02/28/14		
		APPROVED	DATE		
		RH	02/28/14		
				SIZE	REV
				D	21
				SCALE	SHEET 1 OF 1
				1:2	

MTE
AN BL POWER ELECTRONICS COMPANY

N83 W13330 Leon Road
Menomonee Falls, WI 53051 USA
800.455.4683
262.253.8200