APPROX WEIGHT (LBS)
125

ECO No	DESCRIPTION	REV BY	DATE
M9495	DIM 12.12 WAS 12.37	RAH	03/17/15



FRONT VIEW



SIDE VIEW

RESISTOR CONNECTION DETAIL AT REACTOR
(6 PLACES)

CUSTOMER CONNECTION THERMAL DETAIL







DETAIL A
(INPUT/OUTPUT CONNECTION)
(6 PLACES)



DETAIL B
(GROUND CONNECTION)
(2 PLACES)



BOTTOM VIEW



CUSTOMER CONNECTION
DETAIL VIEW
(INPUT/OUTPUT)

NOTES:

1. FILTER REQUIRES MTE P/N: RESPANEL-013 (QTY. 1)
2. WIRE RANGE: 4-18 AWG.
3. TERMINAL SCREW TIGHTENING TORQUE: 16 IN/LBS, MAX.

THE COMPONENT, PART OR ASSEMBLY DESCRIBED IN THIS DOCUMENT MUST COMPLY WITH THE EU(EUROPEAN UNION) DIRECTIVE RoHS2

CONTAINS <0.1% OF ANY SVHC BY WEIGHT PER REACH REGULATION

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES [MM] TOLERANCES ARE:

ANGLES: ± 1 °

1 PLACE .X: ± .1 [2.5]

2 PLACE .XX: ± .03 [0.76]

3 PLACE .XXX: ± .010 [0.254]

MTE
AN SL POWER ELECTRONICS COMPANY

N83 W13330 Leon Road
Menomonee Falls, WI 53051 USA
800.455.4683
262.253.8200

MATERIAL

DRAWN	DATE
MM	07/31/14
CHECKED	DATE
RH	03/18/15
APPROVED	DATE
RH	03/18/15

CONFIDENTIAL AND PROPRIETARY INFORMATION
THIS DOCUMENT CONTAINS CONFIDENTIAL AND PROPRIETARY INFORMATION OF MTE CORPORATION AND MAY NOT BE USED, COPIED OR DISCLOSED TO OTHERS EXCEPT WITH THE AUTHORIZED WRITTEN PERMISSION OF MTE CORPORATION

DESCRIPTION

DV SENTRY 415A 380-600V
FILTER, OPEN PANEL

SIZE	DWG No.	REV
D	CD DVSP0415E	03

SCALE 1:2 SHEET 1 OF 1