

APPROX WEIGHT
(LBS)
212


ECO No	DESCRIPTION	REV BY	DATE
M9495	DIM 3.14 WAS 3.67	RAH	03/17/15

D


C

B


A



FRONT VIEW
(PANEL REMOVED)






BOTTOM VIEW



SIDE VIEW

GROUND
DETAIL

CUSTOMER THERMAL
CONNECTION



TOP VIEW
(PANELS REMOVED)


SEE NOTE 3

SEE NOTE 4

(TOP VIEW)

(FRONT VIEW)

FIELD TERMINAL
DETAIL
(6 PLACES)
(U1, U2, V1, V2, W1, W2)



CUSTOMER CONNECTION
DETAIL VIEW

NOTES:

1. WIRE RANGE: 4 - 18 AWG
2. TERMINAL SCREW TIGHTENING TORQUE: 16 IN/LBS, MAX.
3. WIRE RANGE: 350 kcmil - 6 AWG
4. TERMINAL SCREW TIGHTENING TORQUE: 500 IN/LBS, MAX.

THE COMPONENT, PART OR ASSEMBLY DESCRIBED IN THIS DOCUMENT MUST COMPLY WITH THE EU(EUROPEAN UNION) DIRECTIVE RoHS2		MATERIAL		CONFIDENTIAL AND PROPRIETARY INFORMATION THIS DOCUMENT CONTAINS CONFIDENTIAL AND PROPRIETARY INFORMATION OF MTE CORPORATION AND MAY NOT BE USED, COPIED OR DISCLOSED TO OTHERS EXCEPT WITH THE AUTHORIZED WRITTEN PERMISSION OF MTE CORPORATION		
CONTAINS <0.1% OF ANY SVHC BY WEIGHT PER REACH REGULATION				DESCRIPTION		
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES [MM] TOLERANCES ARE: ANGLES: ± 1 ° 1 PLACE .X: ± .1 [2.5] 2 PLACE .XX: ± .03 [0.76] 3 PLACE .XXX: ± .010 [0.254]		MTE AN BL POWER ELECTRONICS COMPANY N83 W13330 Leon Road Menomonee Falls, WI 53051 USA 800.455-4683 262.253.8200		DRAWN MM	DATE 07/31/14	DV SENTRY 365A 380-600V FILTER, NEMA 3R ENCL.
				CHECKED RH	DATE 03/18/15	
				APPROVED RH	DATE 03/18/15	
				SIZE D	DWG No. CD DVSW0365E	REV 01
				SCALE 1:4	SHEET 1 OF 1	