



WEIGHT (LBS)
37


ECO No	DESCRIPTION	REV BY	DATE
M11976	CORRECTED DISSOCIATED DIMENSIONS	WF	09/18/19





CUSTOMER CONNECTION
DETAIL VIEW




FRONT VIEW
(FRONT PANEL REMOVED)




RIGHT SIDE VIEW



BOTTOM VIEW



TOP VIEW
(TOP HAT REMOVED)



- NOTES:
1. TIGHTEN TERMINAL BLOCK SCREWS TO 16 IN/LBS. TORQUE, MAX.
2. TERMINAL WIRE SIZE: 4-14 AWG.

THE COMPONENT, PART OR ASSEMBLY DESCRIBED IN THIS DOCUMENT MUST COMPLY WITH THE EU(EUROPEAN UNION) DIRECTIVE RoHS2		MATERIAL		CONFIDENTIAL AND PROPRIETARY INFORMATION THIS DOCUMENT CONTAINS CONFIDENTIAL AND PROPRIETARY INFORMATION OF MTE CORPORATION AND MAY NOT BE USED, COPIED OR DISCLOSED TO OTHERS EXCEPT WITH THE AUTHORIZED WRITTEN PERMISSION OF MTE CORPORATION	
CONTAINS <0.1% OF ANY SVHC BY WEIGHT PER REACH REGULATION				DESCRIPTION	
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES [MM] TOLERANCES ARE: ANGLES: ± 1 ° 1 PLACE .X: ± .1 [2.5] 2 PLACE .XX: ± .03 [0.76] 3 PLACE .XXX: ± .010 [0.254]		MTE POWER QUALITY. SOLVED. N83 W13330 Leon Road Menomonee Falls, WI 53051 USA 800.455-4683 262.253.8200		SWG 17A 380-480V 2-8kHz FILTER NEMA 1/2	
DRAWN MN		DATE 09/17/13		SIZE D	DWG No. CD SWGG0017D
CHECKED WF		DATE 09/18/19		REV 03	
APPROVED AK		DATE 09/19/19		SCALE 1:2	SHEET 1 OF 1