

APPROX. WEIGHT (LBS)
1961

ECO No	DESCRIPTION	REV BY	DATE
M9736	UPDATED CAPPANEL WITH CDE CAPS	MN	01/08/16

D

C

B

A

D

C

B

A

FRONT VIEW  
(PANELS REMOVED)

SIDE VIEW  
(PANELS REMOVED)

TOP VIEW  
(PANELS REMOVED)


BOTTOM VIEW

CUSTOMER CONNECTION  
DETAIL VIEW (THERMAL)

CUSTOMER CONNECTION  
DETAIL VIEW  
(WITH LUGS REMOVED)

NOTES:

1. TIGHTEN TERMINAL BLOCK SCREWS TO 16 IN/LBS. TORQUE.
2. TERMINAL WIRE RANGE: 4 - 14 AWG
3. TERMINAL WIRE RANGE: 6 AWG - 250 MCM
4. TERMINAL WIRE RANGE: 500 MCM - 1000 MCM
5. TIGHTEN TERMINAL BLOCK SCREWS TO 600 IN/LBS. TORQUE.

THE COMPONENT, PART OR ASSEMBLY DESCRIBED IN THIS DOCUMENT MUST COMPLY WITH THE EU(EUROPEAN UNION) DIRECTIVE RoHS2		MATERIAL		CONFIDENTIAL AND PROPRIETARY INFORMATION THIS DOCUMENT CONTAINS CONFIDENTIAL AND PROPRIETARY INFORMATION OF MTE CORPORATION AND MAY NOT BE USED, COPIED OR DISCLOSED TO OTHERS EXCEPT WITH THE AUTHORIZED WRITTEN PERMISSION OF MTE CORPORATION				
CONTAINS <0.1% OF ANY SVHC BY WEIGHT PER REACH REGULATION				DESCRIPTION				
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES [MM] TOLERANCES ARE:  ANGLES: ± 1 °  1 PLACE .X: ± .1 [2.5]  2 PLACE .XX: ± .01 [0.25]  3 PLACE .XXX: ± .005 [0.127]	 <small>MEN SL INDUSTRIES COMPANY</small>  N83 W13330 Leon Road Menomonee Falls, WI 53051 USA 800.455-4683 262.253-8200	DRAWN	DATE	SWG 1200A, 380-480V,2-8kHz NEMA 3R				
		KV	10/24/14					
		CHECKED	DATE	SIZE D			DWG No. CD SWGW1200D	REV 01
		JM	01/11/16					
APPROVED	DATE	SCALE 1:8		SHEET 1 OF 1				
JM	01/11/16							